

Vending Machines Production



Innovative solutions

About the company

Newtek has been operating in the vending machine design, manufacturing and sales market since 2004. Newtek LLC concentrates on the development, production and sale of:

Mobile phone charging machines



Information kiosks



- Increase the loyalty of your customers;
- · Bring more earnings from additional advertising;
- Designed for both paid and free charging;
- Payment terminals and online cash registers can be installed:

Flovend flowers vending machine



- · Perform informative and advertising functions
- Can be equipped as touch kiosk;
- Can assist buyers in menu navigation or product choosing:
- Can be equipped with POS printer for customers convenience;

Automated lockers



- Flowers can be sold without any sellers, the system is automated:
- Simple menu allows you to quickly customize the operation of the machine to suit your needs:
- Maintaining constant temperature, which allows you to keep flowers fresh longer;
- The machine can be equipped with payment terminals accepting cash or credit cards:
- · Lockers with automatic access to cells;
- · Access to cells by pin code or Rfid lock;
- Individual design of each chamber:
- Cameras can be equipped with POS printer and payment terminal:



Kolamat beverage vending machine



Fashion vending styler for hair blow-out



- · Compact dimensions allow the machine to be installed in transport (automotive or railway), indoors or outdoors!
- Patented system of cans delivery makes the process as convenient as possible and protects the machine from unauthorized access to the product!
- The machine can be equipped with a refrigeration unit!
- · Drink loading compartment up to 200 pcs., aluminum cans 0.33-0.5 I, plastic bottles 0.5 I
- · Helps ladies always look well-groomed in windy and rainy weather.
- The machine is suitable for any place where guests may wish to style their hair quickly.
- The machine can be equipped with payment terminals accepting cash or credit cards;

Electric vehicle charging stations **Evcharger** according to SAE j1772



PAY payment terminals



- Designed for charging electric car batteries.
- · Equipped with a special connector to connect to the vehicle's on-board charging network.
- "FAST CHARGER" corresponds to Level 2 (FAST CHARGER) according to SAE J1772 (16.8kW) - 220 V; 12- • Multimedia system and touchpad can be installed; 80 A
- · Manufactured only under individual orders with all requested accessories:
- Equipped with payment terminals accepting cash or credit cards

Postamat production

- · Reduce parcel delivery costs
- · Different functions can be implemented
- Design and equipment as per your requirements
- · We can equip the postamats with remote access system





Newtech LLC means advanced software and technological solutions. Our machines have been performing various tasks based on different software logics for over 15 years.

Newtech has developed a large number of custom software solutions for clients in various fields. Based on the client's tasks, we can offer a ready-made solution or adapt the existing one

Our products are indispensable:







in entertainment parks



in sports clubs and water parks



at railway stations and airports



in shopping malls and supermarkets





in exhibition complexes in enterprises and factories in residential complexes and business centers

It can also be used in other areas.




Our solutions are suitable for vending machines, postamats and charging facilities for gadgets, postal, subscriber and deposit cells, as well as any other electronic lockers.

If you plan to develop the software yourself, we can provide API, SDK and Communication protocol for your developers.

Possibility to connect additional options:




Also, on request, it is possible to connect other options.



We offer several types of cell access:







access via a card or key chain



access via individual code - the code is created by the user

You can install both paid and free mobile phone charging, as well as convert machines into information kiosks and use them for advertising purposes, allowing additional earnings

The machines can be equipped with:



bank note receiver



coin receiver



online cash register



device for giving change

Your benefits:

Mobile phone charging machines help you provide a high level of comfort for visitors and increase their loyalty.

Also, it's an additional source of income.



Mobile phone charging machines

INFO series

Info Wall Charger 22

STATION

Wall-mount, anti-vandal, 1.5 mm

steel

Monitor Philips 22" FullHD;

iphone4 - 2 pcs., microUSB - 4 pcs., iphone5 - 2 pcs., USBtypeC -2 pcs. 675x752x68 mm Charging cables

Overall dimensions

Optional

wi-fi, web cam, wideo player, mini PC, sensor panel, rest 12 months

Warranty

Certificate ves

Info Wall Charger

Wall-mount, anti-vandal, 1.5 mm

steel Yes

Light bar

Charging cables iphone4 - 2 pcs.,

microUSB - 4 pcs., lphone5 - 2 pcs., USBtypeC - 2 pcs.

Overall dimensions 965x490x45 mm

Ontional

wi-fi web cam video player mini

PC, sensor panel, rest, monitor.

Warranty 12 months Certificate

MOBI series

Mobi Totem



Free-standing, anti-vandal, 1.5 mm

Locking cells 10 pcs.

Charging cables iphone4 - 2 pcs.,

microUSB - 4 pcs., lphone5 - 2 pcs., USBtypeC - 2 pcs. 1650x420x250 mm

Overall dimensions

Optional

wireless charger, digital security locks, Rfid locks.

Warranty 12 months

Certificate ves

Mobi - 3



Free-standing, anti-vandal, 1.5 mm steel

Charging cables

iphone4 - 2 pcs., microUSB - 4 pcs., lphone5 - 2 pcs., USBtypeC - 2 pcs.

Locking cells 20 pcs.

Overall dimensions

1900x445x445 mm

Branding

upon request

Optional

wireless charger, video surveillance system.

Certificate



Mobi Phone



Free-standing, anti-vandal, 1.5 mm steel

iphone4 - 2 pcs., microUSB - 4 pcs., lphone5 - 2 pcs., USBtypeC - 2 pcs.

1800x700x242 mm (Tray

Locking cells from 6 to 9 pcs.

Overall dimensions (H*W*D)

Charging cables

Branding upon request

Optional wi-fi,

wireless charger, digital security locks, Rfid locks, monitor,

video player. 12 months

500 mm)

Certificate yes

Mobi - 5



Case

Free-standing, anti-vandal, 1.5

mm steel

yes

Charging cables

iphone4 - 1 pcs., microUSB - 1 pcs., lphone5 - 1 pcs., USBtypeC - 1 pcs., Nokia - 1 pcs.

Paid charger

Locking cells 6 pcs.

Overall dimensions (H*W*D)

1910x670x310 mm (tray dimensions 700 mm x 500 mm)

Optional

wireless charger, monitor, video player, online cash register with fiscal memory device, coinbox, POS printer, SMS updates.

12 months Warranty

Certificate ves

Mobi - 6 with table



Case

Warranty

Free-standing, anti-vandal, 1.5 mm steel

USB port - 4 pcs., 220V socket Charging devices

yes

sockets with earthing - 3 DCS.

Table for devices

Overall dimensions

(H*W*D)

Optional

wireless charger, monitor, video player, mini PC.

1810x670x500 mm

(including platform)

Branding

Certificate

Upon request

yes

Mobi - 6 with shelf



Case

Free-standing, anti-vandal, 1.5

Charging cables

iphone4 - 2 pcs., microUSB - 4 pcs., lphone5 - 2 pcs., USBtypeC - 2 pcs. 220V socket

Shelf for devices

Light bar ves

Overall dimensions

1810x670x500 mm

(BUT)

yes

Optional

wireless charger, monitor, video

player, mini PC.

Branding

upon request

Warranty

12 months

Certificate

yes



Mobi - 7



Case Free-standing, anti-vandal, 1.5 mm steel
4 USB ports and 2 sockets 220V;

Charging cables

Paid charging opportunity

Table for devices 1 pcs.

Overall dimensions 1850x670x150 mm (H*W*D)

Optional

wi-fi, wireless charger,

video player, online cash register with fiscal memory device6 coinbox, POS printer, SMS updates. Branding.

Warranty 12 months

Certificate yes

Mobi Air



Free-standing, anti-vandal, 1.5 mm steel Case

Charging cables

iphone4 - 3 pcs., microUSB - 3 pcs., lphone5 - 3 pcs., microUSB - 3 pcs.

Overall dimensions 2000x350x350 mm (H*W*D)

Optional Warranty wi-fi, wireless charger 12 months

Certificate yes

Mobi Aero



Free-standing, anti-vandal, 1.5 mm steel Bilateral. Case

Table for devices 2 pcs.

Plexiglass Light Chart

Charging devices USB port - 8 pcs., 220V socket

sockets with earthing - 12 pcs.

Overall dimensions (H*W*D)

1700x350x120 mm

wi-fi, wireless charger, Branding Optional

Warranty 12 months

Certificate ves

Mobi - Info



Free-standing, anti-vandal, 1.5 mm steel, hardened glass Case

siding

Monitor 2 pcs. Table for devices 2 pcs.

Charging devices 8 USB ports and 6 220V

sockets:

Overall dimensions (H*W*D)

1850x770x185 mm (tray size 770 mm x 580 mm)

wi-fi, wireless charger, web cam, video player, mini PC. Sensor panel, Branding Optional

12 months Warranty

Certificate yes



Mobi Street



Case Steel, wood

Outdoors. Designed as a Version square vertical column with a table

1100x500 mm

Charging devices USB - 4 pcs.,

Overall dimensions (H*W*D)

Warranty 12 months

Certificate

Mobi Wall Charger



Wall-mount, anti-vandal,

1.5 mm steel

Charging cables

iphone4 - 2 pcs., microUSB - 2 pcs., lphone5 - 2 pcs., USBtypeC - 2 pcs., microUSB - 2 pcs.

Overall dimensions (H*W*D) 350x500x60 mm

Optional Branding

Support rest Upon request

Warranty 12 months

Certificate yes

Mobi mini 2



Case Wall-mount, anti-vandal, 1.5 mm

Charging cables iphone4 - 3 pcs., microUSB - 6

prinier - 3 pcs., filldoubB - 6 pcs., lphone5 - 3 pcs., mini USB - 2 pcs., Nokia -1 pcs., USB-1 pcs., USBtypeC - 1 pcs., 220V socket with earthing - 1 pcs.

Overall dimensions 630x780x45 mm (H*W*D)

Optional

Support rest, multimedia system

Holders for devices 18 pcs.

Warranty 12 months

Certificate ves

Mobi Locker



Case Wall-mount, anti-vandal, 1.5 mm steel

Charging cables

iphone4 - 1 pcs., microUSB - 1 pcs., lphone5 - 1 pcs., USBtypeC - 1 pcs., Nokia -

1 pcs. 12 pcs.

Locking cells

Overall dimensions (H*W*D) Optional

500x650x170 mm

wi-fi, wireless charger, digital security locks, Rfid

locks, Branding

12 months Warranty

Certificate ves



Mobi wall



Case Wall-mount, anti-vandal, 1.5 mm steel

iphone4 - 1 pcs., microUSB - 1 pcs., lphone5 - 1 pcs., USBtypeC - 1 pcs., Nokia - 1 Charging cables

Paid charging opportunity

yes

Locking cells

Overall dimensions (H*W*D)

1000x600x230 mm

5 pcs.

Optional wireless charger, monitor, video

player, online cash register with fiscal memory device, coinbox, POS printer, SMS updates.

12 months Warranty Certificate ves

NOTEBOOK CHARGER 16



anti-vandal, 1.5 mm steel

Purpose Tablet and laptop charger

Capacity Up to 16 laptops 850x600x520 mm Overall

dimensions (H*W*D)

Mobility 4 wheels Branding Upon request Warranty 12 months

Certificate ves

Mobi promocharger



Plastic Battery capacity 20800 mAh 4 days

Period of autonomous Charging devices

2 USB ports 2.1A and built-in micro USB and IPhone 5/6/7 cables

Overall dimensions (H*W*D)

237x130x114 mm

Branding Upon request Warranty 12 months Certificate yes

Mobi tablecharger



Case Plastic Battery capacity 15000 mAh. Period of autonomous work 2 days


Charging devices 4 USB

Overall dimensions (H*W*D) 260x150x75 mm, table tent

210x150 mm

Branding Upon request Warranty 12 months

Certificate yes



Advantages of automatic disinfectant:



Autonomy



Contactless operation



Cost-effectiveness



Safety and security



Potential up to 5 million cycles



Adjustable dose of antiseptic





Basic equipment:

- Anti-vandal protected case
- Motion sensor
 Defines the moment hands are brought to the dispenser
- Monitor / billboard
- Video Player
- Antiseptic dispenser Sprays antiseptic on hands
- Indicator with backlight Switches on when spraying antiseptic and helps with the device
- Dose switch
- Central control board
- 10 I container for antiseptic
- Place for your logo Post your company name and logo

Additional options:

- Branding
 Post your company name and logo
- Any preferred color
- Mini PC INTEL BOXNUC5PPYH Intel Pentium N3700 4G RAM 120 SSD ROM Wi-Fi Bluetooth (remote monitor control, advertising in OSI)
- Antiseptic





Advantages over conventional means of disinfection:

Antiseptic container volume

Average price of one disinfection dose

Branding opportunity

Structure safety

Adjustable dispenser

Vaporization time Custom design

Form Factor



Wall-mount, free-standing



A great alternative to water and soap

The antiseptic consumption is half as much as conventional solutions, thanks to a built-in customizable dispensing unit.

Our unique offer allows you to reduce water consumption and save on related hand washing materials (soap, towel)

Contactless operation and security

The smart sensor is triggered when the hands are placed in the disinfection area and dosages the antiseptic



Tabletop



Automatic hand sanitizer

Handi series

HANDI



Free-standing, anti-vandal, structural

Location Business center, manufacturing facilities, big office, shopping mall

Sensors Motion sensor Dosina Adjustible Volume 10 I

Potential 5 mln cycles

Overall dimensions 1100x400x360 mm. 25 kg

Power consumption up to 50 W/220 V

Warranty 1 vear

Certificate yes 12 V battery for autonomous work, Additional

HANDI 10



Case Wall-mount, anti-vandal, Location Office, reception, cafe

Sensors Motion sensor Adjustible Dosing Volume

Potential 5 mln cycles

Overall dimensions 420x250x171 mm, 4 kg

up to 50 W/220V Power consumption

Warranty

Certificate yes Support rest Sanitizer Additional

HANDI LED



Free-standing, anti-vandal, structural Case

Location Large industrial facilities, concerns, budget instituitions, shopping malls

Sensors Motion sensor Dosing Adjustible

Monitor Commercial LED display 24" FullHD

and video player

Volume

Potential 5 mln cycles

1710x400x360 mm, 30 kg Overall dimensions

up to 50 W/220V Capacity

Warranty 1 year Certificate yes

Additional Mini PC INTEL BOXNUC5PPY

Intel Pentium N3700 4G RAM 120 SSD ROM Wi-Fi Bluetooth, battery for autonomous work 12V. antiseptic

HANDI MINI



Case Wall-mount made of ABS


plastic (white)

Location Office, reception, cafe


Sensors Motion sensor Dosing Adjustible Volume

Overall dimensions 375x230x150 mm 4xAA batteries

Warranty Certificate Additional Sanitizer



Advantages of automatic disinfection system:




Our disinfection system can be assembled very quickly. The installation at the site takes about two hours.



Low consumption of disinfecting solution: One container is enough to operate for 10-12 hours. Power consumption below 0.5 kW per hour.

Mobility

Cost-effectiveness





Security

At the entrance there is a motion sensor that triggers disinfection. The treatment takes seconds and does not create any congestions



Simple design:

- Based on strong metal profile.
 Easy to assemble and disassemble, convenient to transport
- Dimensions of construction (LxHxD): 2,1x1,5x2 m
- Disinfecting solution container with a capacity of 120 I
- On the sides of the system from top to bottom there is a system of nozzles
- At the entrance there is a motion sensor that triggers disinfection
- Frame is covered with banner cloth
- Branding opportunity



How does that work?



Recognition

When a person enters, the motion sensor triggers the treatment process



Disinfection

The treatment is done with a disinfectant solution in the form of "fog" which is fed from several nozzles at a high pressure. The processing time is about 5 seconds. Streaming - over 500 people per hour



Protection

When a person passes through the tunnel, the viral particles on clothing, skin and hair get eliminated. The solution leaves no marks on the clothes and completely dries out in a few minutes



The research* proved:

- "Fog" treatment (fine spray) is the most effective and safe:
- Provides the most even coverage, reaching even hard-to-reach places
- Leaves surfaces dry, which ensures safety for people and does not damage surfaces.
- * "Fine Sprays for Disinfection within Healthcare" G.G.Nasr, A. Whitehead and A.J.Yule

HANDI DC

Case Free-standing, base: durable metal profile, material: metal, banner fabric Power consumption up to 100 W/220 V

Location Business center, manufacturing facilities, big office, shopping mall Warranty 1 year

Sensors Motion sensor Certificate yes


 Dosing
 Adjustible
 Additional
 Battery for autonomous work, sanitizer

Volume 120 I

 Cabin size
 HxWxD: 2.1x1.5x2 m

 Opening size
 HxW: 1.85x1 m





New technologies are being used to attract and serve customers, and touch kiosks are one of the few tools ready to establish two-way communication between the customer and service provider.

Information kiosks:

Allow to perform the function of informative and advertising nature, and can also serve as assistants in choosing the menu or products of the buyer;



Kiosks can be equipped with:





POS printer

sensor panel





built-in computer

web cam Full HD

Your benefits:

Interactive navigation, multimedia system in the museum, exhibition application and more - these can be implemented with free-standing touch kiosk produced by Newtech



Information kiosks

INFO MULTITOUCH series

INFO MULTITOUCH 22"



Free-standing, 3 mm steel, RAL powder paint For indoors use

TB PHILIPS 22": Monitor

Overall dimensions H*W*D - 1880x605x570 mm

Built-in speakers - 2x10W Sound

Optional Wi-Fi, Web Cam Full HD, Video

Player Full HD, Mini PC, POS printer Custom TG2460H, Sensor projected capacitive 22" panel

12 months Warranty

Certificate ves

INFO MULTITOUCH 32"

Free-standing, 3 mm steel, RAL powder paint For indoors use

TB PHILIPS 32": Monitor

Overall dimensions H*W*D - 1880x605x570 mm

Built-in speakers - 2x10W Sound

Optional Wi-Fi, Web Cam Full HD, Video

Player Full HD, Mini PC, POS printer Custom TG2460H, Sensor projected capacitive 32" panel

Warranty 12 months

Certificate ves

INFO MULTITOUCH 42"



Free-standing, 3 mm steel, RAL powder paint For indoors use

Monitor TB PHILIPS 42"-

Overall dimensions H*W*D - 1880x655x570 mm

Built-in speakers - 2x10W Sound

Optional Wi-Fi, Web Cam Full HD, Video

Player Full HD, Mini PC, POS printer Custom TG2460H, Sensor projected capacitive 42" panel

Warranty 12 months

Certificate

INFO MULTITOUCH 50"



Free-standing, 3 mm steel, RAL powder paint For indoors use

Monitor TR PHILIPS 50"-

Overall dimensions H*W*D - 1880x690x100 mm

Built-in speakers - 2x10W Sound

> Wi-Fi, Web Cam Full HD, Video Player Full HD, Mini PC, POS printer Custom TG2460H, Sensor

projected capacitive 50" panel

Warranty

Certificate

Optional



INFO WALL series

INFO WALL 22"

Case

Wall-mount, 3 mm steel, RAL powder paint For indoors use

Monitor TB PHILIPS 22":

Overall dimensions $H^*W^*D - 400x530x65 \text{ mm}$

Sound Built-in speakers - 2x10W

Wi-Fi, Web Cam Full HD, Video Optional

Player Full HD, Mini PC, Sensor projected capacitive 22" panel

12 months Warranty

Certificate ves

INFO WALL

32"

Sound

Case Wall-mount, 3 mm steel, RAL powder paint For indoors use

Monitor TB PHILIPS 32":

Overall dimensions H*W*D - 510x810x65 mm

Built-in speakers - 2x10W

Wi-Fi, Web Cam Full HD, Video Optional Player Full HD, Mini PC, Sensor projected capacitive 32" panel

12 months Warranty

Certificate ves

INFO WALL 42"

Wall-mount, 3 mm steel, RAL powder paint For indoors use

TB PHILIPS 42"; Monitor

Overall dimensions H*W*D - 1100x800x110 mm

Built-in speakers - 2x10W Sound

Optional

Wi-Fi, Web Cam Full HD, Video Player Full HD, Mini PC, Sensor projected capacitive 42" panel

Warranty 12 months

Certificate yes

INFO WALL 50"

Wall-mount, 3 mm steel, RAL powder paint For indoors use

TB PHILIPS 50": Monitor

Overall dimensions H*W*D - 690x1170x85 mm

Built-in speakers - 2x10W Sound

Optional

Wi-Fi, Web Cam Full HD, Video Player Full HD, Mini PC, Sensor projected capacitive 50" panel

Warranty 12 months

Certificate yes



INFO series

INFO - 1



Case

Interesting custom design. Can be equipped with 17" and 19" monitor. Can have second advertizing monitor. Any color.

Warranty Certificate 12 months yes

INFO - 2



Narrow free-standing (wall mount) information kiosk. Anto-vandal case. 3 shelves for A4 promo materials. You can choose the color scheme using RAL catalogue.

Warranty Certificate

12 months yes

INFO - 3



Case

One of the most popular and cost-efficient kiosks. Can be equipped with 17" and 19" monitor. Any color.

Warranty

Certificate ves

12 months

INFO X20



Case

Wall-mount, 3 mm steel, RAL powder paint For indoors use

Sensor monitor LG/PHILIPS 32"

Monitor

for 10 touches H*W*D -Overall 1125*520*186 mm Built-in speakers dimensions Sound 2x10W

Optional


terminal, POS printer Custom TG2460H,
Bar Code Scanner, Recognition
of Linear (1D) and 2D (2D)

online cash register FAOS

Barcodes, Loyalty Card Reader (Magnetic), Acquiring Ingenico iPP320/Verifone VX820, Equoring PAX D200 12 months

yes

Warranty Certificate



The machine is manufactured using the latest reliable components produced by OMRON, EMBRACO, ITL, Velleman, Transtecno, Winstar, and Plexiglas.

Characteristics:

- Bouquets constantly rotate on the central axis.
- The number and price of the selected bouquet are displayed on the display.
- The machine accepts RUR 10, 50, 100, 500, 1000, 5000 bank notes
- The machine is able to maintain constant temperature, which is vital for long-term preservation of flower freshness.
- Maintenance of the machine consists in timely replenishment of the bouquets assortment.
- After receiving money, the door of the selected bouquet automatically opens, after the purchase is completed, the door closes automatically, the machine goes into presentation mode.











online cash register



credit card payment system



POS printer




contactless credit card reader



- You can view sales statistics and control the machine via a free software for your computer or tablet (smartphone)
- The report on the amount and quantity of the goods sold is sent automatically in the form of a text message to the phone of the equipment owner
- Integration of sales statistics into 1C
- The machine is equipped with ICT A7 payment system
- The show case is produced of transparent polycarbonate, and the structure itself is made of steel sheets
- LED showcase!
- Voltage stabilizer provides stable power to the machine and protects against voltage surges
- Free lifetime internet monitoring program!
- Free software for the bank note reciever for any currency



Your benefits:





Flower vending machine

FLOVEND series

FLOVEND-1





Characteristics

Vending Machine with showcase for 24 bouquets: bouquet height up to 60 cm, bouquet width up to 35 cm

The showcase has 4 levels: 6 to 18 bouquets on every level.

Automated doors

LED showcase

Refrigeration unit

ICT A7 cash acceptor, no change

Voltage stabilization system

LED showcase

Internet monitoring system

The machine accepts RUR 10, 50, 100, 500, 1000, 5000 bank notes

The machine is equipped with ICT A7 payment system with 800 bank notes cassette

The show case is produced of transparent polycarbonate, and the structure itself is made of steel sheets

Specifications

Anti-vandal case, 1.5 mm steel, covered with thermal- water- wearresistant paint

Width/depth/height: 800 mm x 1225 mm x 2040 mm. The price includes firring

Weight: 285 kg

Power consumption: 230 V/4A

Power consumption: 0.85 kW/hour, (daily average - 13 kW for 24

nours)

Total area - 0.9 sqm

FLOVEND-2





Characteristics

Vending Machine with showcase for 18 bouquets: one tier for bouquet height up to 80 cm and two tiers for bouquet height up to 37 cm

The showcase has 3 levels: 6 to 12 bouquets on every level

Automated doors

LED showcase

Refrigeration unit

ICT A7 cash acceptor, no change

Voltage stabilization system

LED showcase

Internet monitoring system

The machine accepts RUR 10, 50, 100, 500, 1000, 5000 bank notes

The machine is equipped with ICT A7 payment system with 800 bank notes cassette

The show case is produced of transparent polycarbonate, and the structure itself is made of steel sheets

Specifications

Anti-vandal case, 1.5 mm steel, covered with thermal- water- wearresistant paint

Width/depth/height: 900 mm x 1225 mm x 2020 mm. The price includes firring


Weight: 365 kg

Power consumption: 230 V/4A

Power consumption: 0.85 kW/hour, (daily average - 13 kW for 24

nours

Total area - 0.9 sqm



If desired, lockers can be equipped with a bank note or coin receiver to pay for use.





Chambers can be equipped:






POS printer

payment terminal





Your benefits:

The profitability of AKH is extremely high - one locker can be used 5-6 times per day.

It is possible to arrange paid access to the lockers writing-off the payment via RFID tags.

Loyalty to the company is enhanced by ensuring the safety of personal belongings.



Automated lockers

Save series

Save 12 (12BL)



Anti-vandal keyboard Cells

Overall dimensions (HxWxD)

Software Warranty Certificate

Free-standing, 1.5 mm steel, RAL powder paint Velleman

12 pcs. Chambers, mm 1880x1420x450 Cells, mm 615x320x450

C++ based on FPLD ATM 12 months ves

Save 16



Case

Free-standing, 1.5 mm steel, RAL powder paint Velleman

Anti-vandal Cells

12 pcs. Chambers, mm 1880x1420x450 Cells, mm Overall dimensions (HxWxD)

461x320x450 C++ based on FPLD ATM Software Warranty Certificate

12 months ves

Save 24



Anti-vandal keyboard Cells Overall dimensions (HxWxD)

Software Warranty Certificate

Free-standing, 1.5 mm steel, RAL powder paint

24 pcs. Chambers, mm 1880x1420x450 Cells, mm 320x320x450

C++ based on FPLD ATM 12 months ves

Save 36



Anti-vandal

keyboard Cells Overall dimensions (HxWxD)

Software Warranty Certificate

Free-standing, 1.5 mm steel, RAL powder paint

Velleman

36 pcs. Chambers, mm

1880x2070x450 Cells, mm 304x320x450 C++ based on FPLD ATM 12 months

yes

Optional for all our lockers:

Wi-Fi, Uninterruptible Power Supply (12 hours), Cash Acceptor, Coinbox, POS printer, Online Cash register with fiscal memory device 13 months, Additional module for 6 cells, Video surveillance system, Mifare RFID card (keychain) access system, SMS update system, Fingerprint scanner, Barcode scanner.



Standard assembly includes:

- Anti-vandal case, free-standing, 1.5 mm steel, covered with thermal- water- wear- resistant paint (standard: white, texture: glosssy)
- Drink loading compartment up to 200 pcs., aluminum cans 0.33-0.5 l, plastic bottles 0.5 l
- Sensor multimedia display 32" with acoustics

Kolamat can be equipped with:

- bank note reciever; - refrigerating unit;

- coin box; - acquiring;

Overall dimensions: HxWxD - 1950x800x350 mm (base sizes W*D - 800*500mm)

Own weight: 115 kg

Power Supply: 220V AC, 12V or 24B DC


Product type: aluminum cans 0.33I - 0.5I (diameter up to 63mm), plastic bottles 0.5I (diameter

up to 63mm)

Product loading: 2 types of drink, 200 pieces

Product delivery: one tray at the bottom for both drinks





The girl doesn't just waste time, she can also lose her confidence in the impeccability of her appearance! At this important moment, should a woman really depend on the weather? How to help her look like she wants to?! Now she can!







Equipped with a special connector to connect to the vehicle's on-board charging network.

"FAST CHARGER" corresponds to Level 2 (FAST CHARGER) according to SAE J1772 (16.8kW) - 220 V; 12-80 A, maximal constant input power 7.68 W; maximal constant input power 7.68 W;

Fits the following cars:

Nissan Leaf, Ford Focus Electric,
Mitsubishi i-MIEV, BYD E6,
Chevrolet Volt, Pininfarina Blue Car, Smart ED





Postamat advantages:

- secure storage
- convenient and simple 24/7 service
- customized software
- simple integration
- savings for courier companies
- parcel delivery takes only a few minutes
- possibility to return the order
- possibility of accepting payments for goods





Postamat assembly includes:





Sensor display with 10 inch diagonal and SAW technology

Celeron 2.8 processor



Sound module with speakers



Principle of operation:

- 1 Online customer selects the location of the nearest locker and places an order:
- 2 Courier delivers the order and puts it in the cell of the postamat;
- 3 The customer receives a text message informing that the order is delivered;
- 4 The customer comes to the postamat, enters the code from the text message, makes payment for the goods, the cell opens and the customer takes the goods.

Advantages of working with postamats:

- pick-up at any convenient time 24/7,
- possibility to pay at the place of pick-up;
- fast delivery, no queues,
- many locations,
- no need to wait for the courier,
- comfortable update system using text messages.





Russian Federation, 241041, Bryansk, Riabinovaia str., 8A

+7 (4832) 30-27-51 +7(930)820-14-95 +7(905) 177-15-15

icq: 462-745-197 skype: satori-as

e-mail: newtech2000@mail.ru

www.newtechrussia.ru